**M-646** 

Formerly Utilized Sites Remedial Action Program (FUSRAP)

# ADMINISTRATIVE RECORD

for the Maywood Site, New Jersey



US Army Corps of Engineers.

M-646

ORNL/RASA-88/74

### RESULTS OF THE RADIOLOGICAL SURVEY AT 104 AVENUE E, LODI, NEW JERSEY (LJ086)

R. D. Foley L. M. Floyd

OPERATED BY MARTIN MARIETTA ENERGY SYSTEMS, INC FOR THE UNITED STATES DEPARTMENT OF ENERGY

om

OAK RIDGE

LABORATORY

MARTIN MARIE

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401, FTS 626-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161. NTIS price codes—Printed Copy: A03 Microfiche A01

This report was prepared as an account of work aponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

#### HEALTH AND SAFETY RESEARCH DIVISION

Waste Management Research and Development Programs (Activity No. AH 10 05 00 0; NEAH001)

#### RESULTS OF THE RADIOLOGICAL SURVEY AT 104 AVENUE E, LODI, NEW JERSEY (LJ086)

R. D. Foley and L. M. Floyd

Date Published – December 1989

Investigation Team

R. E. Swaja – Measurement Applications and Development Manager W. D. Cottrell – FUSRAP Project Director R. D. Foley – Field Survey Supervisor

Survey Team Members

A. C. Butler<sup>\*</sup> W. H. Shinpaugh<sup>†</sup> R. A. Mathis P. F. Tiner W. Winton

\*Former Employee of Martin Marietta Energy Systems, Inc. †Don Stone Associates

Work performed by the MEASUREMENT APPLICATIONS AND DEVELOPMENT GROUP

> Prepared by the OAK RIDGE NATIONAL LABORATORY Oak Ridge, Tennessee 37831-6285 operated by MARTIN MARIETTA ENERGY SYSTEMS, INC. for the U. S. DEPARTMENT OF ENERGY under contract DE-AC05-840R21400

## CONTENTS

LIST OF FIGURES	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	v
LIST OF TABLES	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		vii
ACKNOWLEDGMENTS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	ix
ABSTRACT	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	xi
INTRODUCTION	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
SURVEY METHODS	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	2
SURVEY RESULTS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2
Gamma Radiation Levels		•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	2
Systematic Soil Samples	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	3
SIGNIFICANCE OF FINDINGS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	3
REFERENCES	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	4

N. S. N

## LIST OF FIGURES

1	Gamma radiation levels ( $\mu$ R/h) measured on the surface at 104 Av- enue E, Lodi, New Jersey (LJ086), with corresponding measurements
	one meter above the surface where indicated
2	Diagram showing locations of soil samples taken at 104 Avenue E, Lodi, New Jersey (LJ086)

v

ķ

## LIST OF TABLES

1	Applicable guidelines for protection against radiation $\ldots$ $\ldots$ $\ldots$	7
2	Background radiation levels for the northern New Jersey area $\ldots$ .	7
3	Concentrations of radionuclides in soil at 104 Avenue E, Lodi, New Jersey (LJ086)	8

ł

#### ACKNOWLEDGMENTS

Research for this project was sponsored by the Division of Facility and Site Decommissioning Projects, U.S. Department of Energy, under contract DE-AC05-84OR21400 with Martin Marietta Energy Systems, Inc. The authors wish to acknowledge the support of J. E. Baublitz, Acting Director, Office of Remedial Action and Waste Technology; J. J. Fiore, Director, Division of Facility and Site Decommissioning Projects; and members of their staffs. The authors also appreciate the contributions of J. L. Rich, S. W. Hawthorne, and L. J. Jeffers of the Publications Division; M. S. Uziel of the Environmental Remediation Group; D. A. Roberts and T. R. Stewart of the Measurement Applications and Development Group; A. C. Butler, former employee of Martin Marietta Energy Systems, Inc.; and W. H. Shinpaugh of Don Stone Associates for participation in the collection, analyses, editing, and reporting of data for this survey.

#### ABSTRACT

Maywood Chemical Works (MCW) of Maywood, New Jersey, generated process wastes and residues associated with the production and refining of thorium and thorium compounds from monazite ores from 1916 to 1956. MCW supplied rare earth metals and thorium compounds to the Atomic Energy Commission and various other government agencies from the late 1940s to the mid-1950s. Area residents used the sandlike waste from this thorium extraction process mixed with tea and cocoa leaves as mulch in their yards. Some of these contaminated wastes were also eroded from the site into Lodi Brook. At the request of the U.S. Department of Energy (DOE), a group from Oak Ridge National Laboratory conducts investigative radiological surveys of properties in the vicinity of MCW to determine whether a property is contaminated with radioactive residues, principally <sup>232</sup>Th, derived from the MCW site. The survey typically includes direct measurement of gamma radiation levels and soil sampling for radionuclide analyses. The survey of this site, 104 Avenue E, Lodi, New Jersey (LJ086), was conducted during 1988.

Results of the survey demonstrated no radionuclide concentrations in excess of the DOE Formerly Utilized Sites Remedial Action Program criteria. The radionuclide distributions were not significantly different from normal background levels in the northern New Jersey area.

#### RESULTS OF THE RADIOLOGICAL SURVEY OF 104 AVENUE E, LODI, NEW JERSEY (LJ086)\*

#### INTRODUCTION

From 1916 to 1956, process wastes and residues associated with the production and refining of thorium and thorium compounds from monazite ores were generated by the Maywood Chemical Works (MCW), Maywood, New Jersey. During the latter part of this period, MCW supplied rare earth metals and thorium compounds to various government agencies. In the 1940s and 1950s, MCW produced thorium and lithium, under contract, for the Atomic Energy Commission (AEC). These activities ceased in 1956, and, approximately three years later, the 30-acre real estate was purchased by the Stepan Company. The property is located at 100 Hunter Avenue in a highly developed area in Maywood and Rochelle Park, Bergen County, New Jersey.

During the early years of operation, MCW stored wastes and residues in lowlying areas west of the processing facilities. In the early 1930s, these areas were separated from the rest of the property by the construction of New Jersey State Highway 17. The Stepan property, the interim storage facility, and several vicinity properties have been designated for remedial action by the U.S. Department of Energy (DOE).

The waste produced by the thorium extraction process was a sandlike material containing residual amounts of thorium and its decay products, with smaller quantities of uranium and its decay products. During the years 1928 and 1944 to 1946, area residents used these process wastes mixed with tea and cocca leaves as mulch in their lawns and gardens. In addition, some of the contaminated wastes were apparently eroded from the site into Lodi Brook and carried downstream.

Lodi Brook is a small stream flowing south from Maywood with its headwaters near the Stepan waste storage site. Approximately 150 ft after passing under State Route 17, the stream has been diverted underground through concrete or steel culverts until it merges with the Saddle River in Lodi, New Jersey. Only a small section near Interstate 80 remains uncovered. From the 1940s to the 1970s when the stream was being diverted underground, its course was altered several times. Some of these changes resulted in the movement of contaminated soil to the surface of a few properties, where it is still in evidence. In other instances, the contaminated soil was covered over or mixed with clean fill, leaving no immediate evidence on the surface. Therefore, properties in question may be drilled in search of former streambed material, even in the absence of surface contamination.

As a result of the Energy and Water Appropriations Act of Fiscal Year 1984, the property discussed in this report and properties in its vicinity contaminated with residues from the former MCW were included as a decontamination research

<sup>\*</sup>The survey was performed by members of the Measurement Applications and Development Group of the Health and Safety Research Division at Oak Ridge National Laboratory under DOE contract DE-AC05-84OR21400.

and development project under the DOE Formerly Utilized Sites Remedial Action Program. As part of this project, DOE is conducting radiological surveys in the vicinity of the site to identify properties contaminated with residues derived from the MCW. The principal radionuclide of concern is thorium-232. The radiological surveys discussed in this report are part of that effort and were conducted, at the request of DOE, by members of the Measurement Applications and Development Group of the Oak Ridge National Laboratory.

A radiological survey of the private, residential property at 104 Avenue E, Lodi, New Jersey, was conducted during 1988. The survey and sampling of the ground surface were carried out on May 9, 1988.

#### SURVEY METHODS

The radiological survey of the property included: (1) a gamma scan of the entire property outdoors, both at the surface and one meter above the surface and (2) collection of soil samples. These survey methods followed the plan outlined in Reference 1. No indoor survey measurements were performed.

Using a portable gamma scintillation meter, ranges of measurements were recorded for areas of the property surface and one meter above the surface. Systematic soil samples were taken at various locations on the property, irrespective of gamma radiation levels. A comprehensive description of the survey methods and instrumentation has been presented in another report.<sup>2</sup>

#### SURVEY RESULTS

Applicable federal guidelines are summarized in Table 1.<sup>3</sup> The normal background radiation levels for the northern New Jersey area are presented in Table 2.<sup>4,5</sup> These data are provided for comparison with survey results presented in this report. All direct measurement results presented in this report are gross readings; background radiation levels have not been subtracted. Similarly, background concentrations have not been subtracted from radionuclide concentrations measured in environmental samples.

#### Gamma Radiation Levels

Gamma radiation levels measured during a gamma scan of the surface of the property are given in Fig. 1, with corresponding measurements one meter above the surface where indicated. Gamma exposure rates over the major portion of the property ranged from 5 to 9  $\mu$ R/h. Both one-meter measurements were 7  $\mu$ R/h; the normal background level at one meter is 8  $\mu$ R/h for the northern New Jersey area (Table 2). The highest surface gamma levels were found around the front steps and the porch foundation, ranging from 10 to 13  $\mu$ R/h. This slight elevation in gamma levels is typical of the naturally occurring radioactive substances present in bricks, concrete, granite, and other such materials used in paving and building construction. Otherwise, none of the measurements were elevated.

#### Systematic Soil Samples

Systematic soil samples were taken from various locations on the property for radionuclide analyses. Locations of these samples (S) are shown in Fig. 2, with results of laboratory analyses provided in Table 3. Concentrations of radium, thorium, and uranium in these samples ranged from 0.73 to 0.76 pCi/g, 0.84 to 0.88 pCi/g, and 0.92 to <3.4 pCi/g, respectively. All samples were below DOE criteria (Table 1) and were not significantly different from background levels for the northern New Jersey area (Table 2).

#### SIGNIFICANCE OF FINDINGS

Measurements and results of soil sample analyses taken at 104 Avenue E indicate that the property contained no radionuclide concentrations above DOE guideline values. The radionuclide distributions on this property were similar to normal background levels for the northern New Jersey area.

#### REFERENCES

- W. D. Cottrell, ORNL, to A. J. Whitman, DOE/HQ, correspondence, "Radiological Survey of Private Properties in Lodi, New Jersey" (August 15, 1984).
- T. E. Myrick, B. A. Berven, W. D. Cottrell, W. A. Goldsmith, and F. F. Haywood, Procedures Manual for the ORNL Radiological Survey Activities (RASA) Program, Oak Ridge National Laboratory, ORNL/TM-8600 (April 1987).
- 3. U.S. Department of Energy, Guidelines for Residual Radioactive Material at Formerly Utilized Sites Remedial Action Program and Remote Surplus Facilities Management Program Sites (Rev. 2, March 1987).
- 4. U.S. Department of Energy, Radiological Survey of the Middlesex Municipal Landfill, Middlesex, New Jersey, DOE/EV-00005/20 (April 1980).
- T. E. Myrick, B. A. Berven, and F. F. Haywood, State Background Radiation Levels: Results of Measurements Taken During 1975-1979, Oak Ridge National Laboratory, ORNL/TM-7343 (November 1981).



Fig. 1. Gamma radiation levels ( $\mu$ R/h) measured on the surface at 104 Avenue E, Lodi, New Jersey (LJ086), with corresponding measurements one meter above the surface where indicated.

5

Metal Building S2 • Pool \*\* House FEET Flower Bed METERS Flower Bed 80للا Asphait S1 Flower 7 Beds | Flow Bed ۶

104 Avenue E

Fig. 2. Diagram showing locations of soil samples taken at 104 Avenue E, Lodi, New Jersey (LJ086).

6

ORNL-DWG 89-10862

Mode of exposure	Exposure conditions	Guideline value
Radionuclide concen- trations in soil	Maximum permissible con- centration of the follow- ing radionuclides in soil above background levels averaged over 100 m <sup>2</sup> area <sup>232</sup> Th <sup>230</sup> Th <sup>228</sup> Ra <sup>226</sup> Ra	5 pCi/g averaged over the first 15-cm of soil below the sur- face; 15 pCi/g when averaged over 15-cm thick soil layers more than 15 cm below the surface
	238U	Derived (site specific)

Table 1. Applicable guidelines for protection against radiation<sup>a</sup>

"Reference 3.

## Table 2. Background radiation levels for thenorthern New Jersey area

Type of radiation measurement or sample	Radiation level or radionuclide concentration <sup>a</sup>
Gamma exposure at 1 m above ground surface (µR/h)	8,
Concentration of radionuclides in soil (pCi/g)	
226Ra	0.9°
232Th	0.9
238U	0.9 <sup>c</sup>

"These values represent an average of normal radionuclide concentrations in this part of the state. Actual values may fluctuate.

<sup>b</sup>Reference 4. <sup>c</sup>Reference 5.

		Radionuclide concentration $(pCi/g)$							
Sample <sup>a</sup>	Depth (cm)	<sup>226</sup> Ra <sup>b</sup>	<sup>232</sup> Th <sup>b</sup>	238Ub					
······································		Systematic san	nples <sup>c</sup>						
S1A S1B	0–15 15–30	$0.76 \pm 0.04$ $0.74 \pm 0.02$	$0.88 \pm 0.08$ $0.88 \pm 0.04$	1.0 < 3.4					
S2A S2B	0–15 15–30	$0.73 \pm 0.008$ $0.73 \pm 0.02$	$0.84 \pm 0.01$ $0.86 \pm 0.04$	$0.92 \pm 0.3$ <1.4					

Table 3.	Concentrations of radionuclides in soil as	t
104	Avenue E, Lodi, New Jersey (LJ086)	

<sup>a</sup>Locations of soil samples are shown on Fig. 2. <sup>b</sup>Indicated counting error is at the 95% confidence level  $(\pm 2\sigma)$ . <sup>c</sup>Systematic samples are taken at locations irrespective of gamma exposure rates.

4

. . . .

#### INTERNAL DISTRIBUTION

- 1. B. A. Berven
- 2. R. F. Carrier
- 3. W. D. Cottrell
- 4. A. G. Croff
- 5. J. W. Crutcher
- 6. L. M. Floyd
- 7-11. R. D. Foley
  - 12. S. V. Kaye

13. P. Y. Lu

- 14. P. T. Owen
- 15-17. R. E. Swaja
  - 18. J. K. Williams
  - 19. Central Research Library
  - 20. IR&A Publications Office
  - 21. Laboratory Records RC
  - 22. Y-12 Technical Library

#### EXTERNAL DISTRIBUTION

- J. D. Berger, Oak Ridge Associated Universities, P.O. Box 117, Oak Ridge, TN 37831
- 24. R. W. Doane, Eberline, Inc., 800 Oak Ridge Turnpike, P.O. Box 350, Oak Ridge, Tn 37831
- 25. J. J. Fiore, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
- 26-28. G. K. Hovey, Bechtel National, Inc., 800 Oak Ridge Turnpike, P.O. Box 350, Oak Ridge, TN 37831
  - 29. L. R. Levis, Roy F. Weston, Inc., 20030 Century Blvd., Germantown, MD 20874
  - 30. G. P. Turi, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
  - 31. J. W. Wagoner, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
- 32-34. Andrew Wallo III, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
  - 35. Office of Assistant Manager, Energy Research and Development, Oak Ridge Operations Office, P.O. Box 2001, Oak Ridge, TN 37831-8600
- 36-37. Office of Scientific and Technical Information, DOE, P.O. Box 62, Oak Ridge, TN 37831