Formerly Utilized Sites Remedial Action Program (FUSRAP)

ADMINISTRATIVE RECORD

for the Maywood Site, New Jersey



POST OFFICE BOX X OAK RIDGE, TENNESSEE 37831

OAK RIDGE NATIONAL LABORATORY

OPERATED BY MARTIN MARIETTA ENERGY SYSTEMS, INC.

October 2, 1986

11 Redstone Lane Lodi, New Jersey 07644

Dea

Designation Survey Report

Enclosed is a report summarizing the radiological measurements performed on your property at an earlier date. If you have questions or require additional information about this report, please contact:

> Edward G. DeLaney Division of Facility & Site Decommissioning Projects U. S. Department of Energy Germantown, Maryland 20874 (301) 353-4716

If you have any questions about future work to be performed on your property, please forward these questions to:

> S. W. Ahrends U.S. Department of Energy Oak Ridge Operations Post Office Box E Oak Ridge, Tennessee 37831 (615) 576-0948

> > Sincerely yours,

Barry A. Berven, Ph.D. RASA Program Manager, ORNL

.....

BAB:sh

Enclosure

cc: S. W. Ahrends, DOE/OR

R. O. Chester

.W. D. Cottrell

R. W. Doane

S. V. Kaye

J. F. Nemec, BNI

A. Wallo, Aerospace

M-693

ORNL/RASA-86/33

ornl

OAK RIDGE NATIONAL LABORATORY

MARTIN MARIETTA

RESULTS OF THE RADIOLOGICAL SURVEY AT 11 REDSTONE LANE (LJ035), LODI, NEW JERSEY

Access to the information in this report is limited to those indicated on the distribution list and to Department of Energy and Department of Energy Contractors

OPERATED BY
MARTIN MARIETTA ENERGY SYSTEMS
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

HEALTH AND SAFETY RESEARCH DIVISION

Nuclear and Chemical Waste Programs (Activity No. AH 10 05 00 0; ONLWC01)

RESULTS OF THE RADIOLOGICAL SURVEY AT 11 REDSTONE LANE (LJ035), LODI, NEW JERSEY

R. W. Doane

Date of Issue - September 1986

Investigation Team

B. A. Berven - RASA Program Manager
W. D. Cottrell - FUSRAP Project Director
R. W. Doane - Field Survey Supervisor

Survey Team Members

B. S. Ellis

D. W. Greene

C. A. Muhr

E. M. Pilz

W. Winton

Work performed as part of the RADIOLOGICAL SURVEY ACTIVITIES PROGRAM

Prepared by the
OAK RIDGE NATIONAL LABORATORY
Oak Ridge, Tennessee 37831
operated by
MARTIN MARIETTA ENERGY SYSTEMS, INC.
for the
U.S. DEPARTMENT OF ENERGY
under Contract No. DE-AC05-840R21400

CONTENTS

	<u>Page</u>
LIST OF FIGURES AND TABLES	v
ACKNOWLEDGEMENTS	vii
INTRODUCTION	1
SURVEY METHODS	1
SURVEY RESULTS	1
Systematic and Biased Soil Samples	2
SUMMARY	2
REFERENCES	3

LIST OF FIGURES AND TABLES

Figure		Page
1	Diagram showing locations of soil samples taken at 11 Redstone Lane, Lodi, New Jersey	. 4
2	Gamma radiation levels measured at 11 Redstone Lane, Lodi, New Jersey	. 5
<u>Table</u>		Page
1 .	Background radiation levels for the northern New Jersey area	. 6
2	Concentrations of radionuclides in soil at 11 Redstone Lane, Lodi, New Jersey	. 7

ACKNOWLEDGMENTS

Research for this project was sponsored by the Division of Remedial Action Projects, U.S. Department of Energy. The author wishes to acknowledge the support of J. E. Baublitz, Deputy Director, Office of Remedial Action and Waste Technology, E. G. DeLaney, Director, Division of Facility & Site Decommissioning Projects, and members of their staff. In addition, the author appreciates the manuscript preparation by S. E. Huckaba, D. A. Roberts, and J. K. Williams, Biology Division.

RESULTS OF THE RADIOLOGICAL SURVEY AT 11 REDSTONE LANE, LODI, NEW JERSEY*

INTRODUCTION

A radiological survey of 11 Redstone Lane, Lodi, New Jersey, was conducted by a survey team from Oak Ridge National Laboratory (ORNL) on October 21, 1985 at the request of the Department of Energy (DOE).

The radiological survey conducted on this property was for the purpose of determining whether the property had any radioactive material onsite in excess of background radiation levels, and, if so, were these radioactive materials in excess of remedial action guidelines established by DOE such that the property could be "designated" for further investigation.

SURVEY METHODS

The radiological survey of the property included: (1) a gamma scan of the entire property outdoors; and (2) sampling of surface (0-15 cm) soil. No indoor survey measurements were performed. These survey methods followed the plan outlined in Reference 1. A comprehensive description of the survey methods and instrumentation has been presented in another report.²

SURVEY RESULTS

The normal background radiation levels for the northern New Jersey area are presented in Table 1. These data are provided for comparison with survey results presented in this section. All direct measurement results presented in this report are gross readings at ground surface; background radiation levels have not been subtracted. Similarly, background concentrations have not been subtracted from radionuclide concentrations measured in environmental samples.

^{*}The survey was performed by members of the Radiological Survey Activities Group of the Health and Safety Research Division at Oak Ridge National Laboratory under DOE contract DE-AC05-840R21400.

Systematic and Biased Soil Samples

Systematic and biased soil samples were taken from various locations on the property for radionuclide analyses. Locations of the systematic (LJ35S) and biased (LJ35B) samples are shown in Fig. 1, with results of laboratory analyses provided in Table 1. Concentrations of uranium, radium, and thorium were within normal background levels in the systematic samples. However, concentrations of thorium in the biased soil samples exceeded normal background levels for the northern New Jersey area. The range of ²³²Th was 0.63 pCi/g to 30 pCi/g.

Gamma Radiation Levels

Results of the gamma scan of the surface of the property showed where gamma exposure rates are in excess of natural background radiation levels. Locations and exposure rates are shown in Fig. 2. These results locate where 232 Th-bearing material exists. Gamma exposure rates up to 45 μ R/h exist on the surface of the property.

SUMMARY

Measurements taken at 11 Redstone Lane indicate that the property contains radioactive contamination primarily from the 232 Th decay chain with some contamination from the 238 U decay chain. These radionuclide distributions are typical of the type of material processed at the former Maywood Chemical site. The concentration and extent of 232 Th on this property is in excess of the relevant DOE criteria. This material was found in the locations shown in Fig. 2. Based on the results of this radiological assessment, it is recommended that this property be "designated" for further characterization.

REFERENCES

- 1. W. D. Cottrell, ORNL, to A. J. Whitman, DOE/HQ, correspondence, "Radiological Survey of Private Properties in Lodi, New Jersey" (August 15, 1984).
- 2. Oak Ridge National Laboratory, <u>Procedures Manual for the ORNL Remedial Action Survey and Certification Activities (RASCA) Program</u>, ORNL/TM-8600 (October 1982).
- 3. U.S. Department of Energy, Guidelines for Residual Radioactivity at Formerly Utilized Sites, Remedial Action Program and Remote Surplus Facilities Management Program Sites (Rev. 1, July 1985).




Fig. 1. Diagram showing locations of soil samples taken at 11 Redstone Lane, Lodi, New Jersey.




Fig. 2. Gamma radiation levels measured at 11 Redstone Lane, Lodi, New Jersey.

Table 1. Background radiation levels for the northern New Jersey area.

Type of radiation measurement or sample	Radiation level or radionuclide concentration
Gamma exposure rate at 1 m above floor or ground surface (\(\mu R/h\)	ga
	G
(pCi/g) 232Th 238	a ah
2300	0.9p 0.9p
226 _{Ra}	0.9b

^aReference 4. ^bReference 5.

Table 2. Concentrations of radionuclides in soil at 11 Redstone Lane, Lodi, New Jersey.

Samplea	Donth	Radionuclide concentration (pCi/g		
	Depth (cm)	226 _{Ra} b	232 _{Th} b	238 _U c
		Systematic sam	ples	
LJ35S1	0-15	0.79 ± 0.2	1.7 ± 0.3	0.93
LJ35S2	0-15	0.69 ± 0.1	1.3 ± 0.2	0.83
LJ35S3	0-15	0.66 ± 0.09	0.86 ± 0.2	0.70
		Biased sample	<u>s</u> d	
LJ35BlA	0-15	1.9 ± 0.08	9.6 ± 0.9	5.5
LJ35B1B	15-20	1.0 ± 0.06	4.5 ± 0.4	2.4
LJ35B1C	20-30	0.66 ± 0.2	2.2 ± 0.5	1.4
LJ35B2A	0-15	1.6 ± 0.09	7.0 ± 0.5	3.8
LJ35B2B	15-30	0.58 ± 0.1	1.1 ± 0.3	1.0
LJ35B2C	30-35	0.59 ± 0.08	0.63 ± 0.4	0.68
LJ35B3A	0-15	4.1 ± 0.4	30 ± 4	8.2
LJ35B3B	15-25	2.5 ± 0.2	18 ± 0.8	4.1
LJ35B4A	0-15	1.8 ± 0.1	8.4 ± 1	4.1
LJ35B4B	15-30	0.64 ± 0.2	1.2 ± 0.2	0.78

aLocations of soil samples are shown on Fig. 1. bIndicated counting error is at the 95% confidence level $(\pm 2 \sigma)$.

 $^{^{\}rm c}$ Total analytical error of measurement results is less than \pm 5% (95% confidence level).

dBiased samples are taken from areas shown to have elevated gamma exposure rates.

INTERNAL DISTRIBUTION

1-3. B. A. Berven
4. R. O. Chester
5. W. D. Cottrell
6-10. R. W. Doane
11. S. V. Kaye
12. P. T. Owen
13. T. H. Row
14. IR&A Publications Office
15. Laboratory Records - RC

EXTERNAL DISTRIBUTION

- 16-18. S. W. Ahrends, U.S. Department of Energy, P. O. Box E, Oak Ridge, TN 37831
 - 19. J. D. Berger, Oak Ridge Associated Universities, P. O. Box 117, Oak Ridge, TN 37831
- 20-22. Edward G. DeLaney, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
- 23-25. J. F. Nemec, Bechtel National, Inc., 800 Oak Ridge Turnpike, Oak Ridge, TN 37831
 - 26. J. W. Wagoner, U.S. Department of Energy, 19901 Germantown Road, Germantown, MD 20874
 - 27. Office of Assistant Manager, Energy Research and Development, Oak Ridge Operations Office, Oak Ridge, TN 37831
- 28-29. Office of Scientific and Technical Information, DOE, Oak Ridge, TN 37831