

M-641

---

Formerly Utilized Sites Remedial Action Program (FUSRAP)

---

# ADMINISTRATIVE RECORD

for the Maywood Site, New Jersey

---



**US Army Corps  
of Engineers®**



## Department of Energy

Oak Ridge Operations Office  
P.O. Box 2001  
Oak Ridge, Tennessee 37831— 8723

97-262  
138- LBA-GAM-00009  
M-641

August 22, 1997

Ms. Angela Carpenter  
Project Manager, Federal Facilities Section  
U.S. Environmental Protection Agency  
Region II  
290 Broadway, 18th Floor  
New York, NY 10017-1866

Dear Ms. Carpenter:

### **MAYWOOD SITE - FFA PERMIT NOTIFICATION**

Pursuant to Section 18 entitled "Permits" of the Federal Facility Agreement (FFA) between the Department of Energy (DOE) and the federal EPA, this letter is to inform you of any local, state, or federal permits that are applicable to upcoming onsite soil excavation and garage demolition and reconstruction activities at 200 Brookdale, in Maywood, New Jersey, that will not be obtained, as allowed for by Section 121(e) of CERCLA.

Negotiations with the owner of the property are in progress and it is expected that cleanup activities on this residential property will begin in the near future. These activities are expected to entail demolition and reconstruction of the property owner's garage, which is located on radiologically contaminated subsurface fill, and the removal of adjacent contaminated fill on the property. Because of property boundary constraints, demolition of the garage is necessary to fully access the subsurface contamination. The garage and contaminated fill are in the floodplain of Coles Brook, a watercourse which runs along the southeasterly edge of 200 Brookdale.

Local building code permits will be obtained for any work that is the responsibility of DOE to perform; however, no stream encroachment permit for these activities will be obtained from the New Jersey Department of Environmental Protection (NJDEP). Representatives of this agency have been apprised of the CERCLA 121(e) permitting exemption and have been consulted regarding regulatory requirements.

Applicable technical requirements of New Jersey stream encroachment regulations (NJAC 7:13) will be complied with to the extent practicable during the performance of activities required by this CERCLA removal action.

Ms. Angela Carpenter

- 2 -

August 22, 1997

Please feel free to contact me at (423) 241-6344 if there is anything further that you need.

Sincerely,

A handwritten signature in cursive script that reads "John Michael Japp".

John Michael Japp, Site Manager  
FUSRAP Group

cc:

Donna Gaffigan, NJDEP Case Manager